

Creative Fabrica

**Embroidery Design
Sewing Information**

www.creativefabrica.com/embroidery/

© Creative Fabrica

Needle Thread consumption


1	2903 st.	33.3%	(31.8 ft)
2	934 st.	15.6%	(14.9 ft)
3	447 st.	6.1%	(5.8 ft)
4	401 st.	5.0%	(4.8 ft)
5	1400 st.	23.9%	(22.8 ft)
6	572 st.	7.5%	(7.1 ft)
7	678 st.	8.7%	(8.3 ft)

Upper thread 95.6 ft
Bobbin 31.9 ft

File: spring100.hus (Viking Husqvarna)**Design name: spring10****Stitches: 7335****Size: 3.92 x 3.26 " (99.6 x 82.9 mm)****Begin: 1.96, 1.63 "****End: 0.51, 2.72 "****Start needle: 1****Colors: 7/7 , Stops: 6**

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.

This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.

**Histogram**

(2904) Stop 1
(3838) Stop 2
(4285) Stop 3
(4686) Stop 4
(6086) Stop 5
(6658) Stop 6
(7335) End

Stitches ratio diagram:



Needle Thread consumption

1	3450 st.	32.6%	(42.1 ft)
2	1199 st.	15.9%	(20.6 ft)
3	521 st.	6.0%	(7.8 ft)
4	474 st.	5.0%	(6.4 ft)
5	1681 st.	24.3%	(31.3 ft)
6	695 st.	7.5%	(9.6 ft)
7	831 st.	8.7%	(11.2 ft)

Upper thread 129.0 ft
Bobbin 43.0 ft

File: spring120.hus (Viking Husqvarna)

Design name: spring12

Stitches: 8851

Size: 4.71 x 3.92 " (119.6 x 99.6 mm)

Begin: 2.35, 1.96 "


End: 0.61, 3.26 "

Start needle: 1

Colors: 7/7 , Stops: 6

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(3451) Stop 1
(4650) Stop 2
(5171) Stop 3
(5645) Stop 4
(7326) Stop 5
(8021) Stop 6
(8851) End

Stitches ratio diagram:



Needle Thread consumption


1	4019 st.	32.1%	(53.7 ft)
2	1513 st.	16.3%	(27.2 ft)
3	647 st.	6.0%	(10.0 ft)
4	545 st.	5.0%	(8.3 ft)
5	2125 st.	24.6%	(41.1 ft)
6	823 st.	7.4%	(12.4 ft)
7	985 st.	8.7%	(14.5 ft)

Upper thread 167.1 ft
Bobbin 55.7 ft

File: spring140.hus (Viking Husqvarna)**Design name: spring14****Stitches: 10657****Size: 5.50 x 4.58 " (139.6 x 116.4 mm)****Begin: 2.75, 2.29 "****End: 0.71, 3.81 "****Start needle: 1****Colors: 7/7 , Stops: 6**

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.

This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.

**Histogram**

(4020) Stop 1
(5533) Stop 2
(6180) Stop 3
(6725) Stop 4
(8850) Stop 5
(9673) Stop 6
(10657) End

Stitches ratio diagram:

Needle Thread consumption


1	4601 st.	31.8%	(66.9 ft)
2	1827 st.	16.6%	(34.9 ft)
3	777 st.	6.0%	(12.5 ft)
4	604 st.	4.9%	(10.3 ft)
5	2848 st.	24.8%	(52.2 ft)
6	962 st.	7.4%	(15.5 ft)
7	1155 st.	8.6%	(18.1 ft)

Upper thread 210.4 ft
Bobbin 70.1 ft

File: spring160.hus (Viking Husqvarna)**Design name: spring16****Stitches: 12774****Size: 6.28 x 5.24 " (159.6 x 133.0 mm)****Begin: 3.14, 2.62 "****End: 0.81, 4.35 "****Start needle: 1****Colors: 7/7 , Stops: 6**

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.

This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.

**Histogram**

(4602) Stop 1
(6429) Stop 2
(7206) Stop 3
(7810) Stop 4
(10658) Stop 5
(11620) Stop 6
(12774) End

Stitches ratio diagram:

Needle Thread consumption

1	5207 st.	31.4%	(80.9 ft)
2	2160 st.	16.8%	(43.2 ft)
3	908 st.	5.9%	(15.2 ft)
4	730 st.	4.9%	(12.6 ft)
5	3603 st.	25.1%	(64.7 ft)
6	1106 st.	7.4%	(18.9 ft)
7	1330 st.	8.6%	(22.1 ft)

Upper thread 257.7 ft
Bobbin 85.9 ft

File: spring180.hus (Viking Husqvarna)

Design name: spring18

Stitches: 15044

Size: 7.07 x 5.90 " (179.6 x 149.8 mm)

Begin: 3.54, 2.95 "


End: 0.91, 4.90 "

Start needle: 1

Colors: 7/7 , Stops: 6

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.

This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.



Histogram

(5208) Stop 1
(7368) Stop 2
(8276) Stop 3
(9006) Stop 4
(12609) Stop 5
(13715) Stop 6
(15044) End

Stitches ratio diagram:



Needle Thread consumption

1	6047 st.	31.0%	(95.9 ft)
2	2545 st.	17.0%	(52.5 ft)
3	1016 st.	5.8%	(18.0 ft)
4	859 st.	4.9%	(15.1 ft)
5	4224 st.	25.5%	(78.9 ft)
6	1278 st.	7.3%	(22.7 ft)
7	1529 st.	8.6%	(26.6 ft)

Upper thread 309.7 ft
Bobbin 103.2 ft

File: spring200.hus (Viking Husqvarna)

Design name: spring20

Stitches: 17498

Size: 7.86 x 6.55 " (199.6 x 166.4 mm)

Begin: 3.93, 3.28 "


End: 1.00, 5.44 "

Start needle: 1

Colors: 7/7 , Stops: 6

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.

This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.



Histogram

(6048) Stop 1
(8593) Stop 2
(9609) Stop 3
(10468) Stop 4
(14692) Stop 5
(15970) Stop 6
(17498) End

Stitches ratio diagram:

