



Creative Fabrica

**Embroidery Design
Sewing Information**

www.creativefabrica.com/embroidery/

© Creative Fabrica

Needle Thread consumption File: A.JEF (Janome)


1	3111 st.	11.6% (15.0 m)
2	1380 st.	7.7% (10.0 m)
3	2601 st.	8.7% (11.3 m)
4	3731 st.	27.3% (35.4 m)
5	897 st.	4.0% (5.2 m)
6	13363 st.	35.7% (46.3 m)
7	1450 st.	5.1% (6.6 m)

Stitches: 26533
Size: 66.2 x 260.6 mm (2.61 x 10.26 ")
Begin: 33.1, 130.3 mm
End: 64.8, 255.8 mm
Start needle: 1
Colors: 6/7 , Stops: 6
Date: 04-04-2022

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Upper thread 129.7 m
Bobbin 43.2 m



Histogram

Stitches ratio diagram:



(3112) Stop 1
(4492) Stop 2
(7093) Stop 3
(10824) Stop 4
(11721) Stop 5
(25084) Stop 6
(26533) End



Needle Thread consumption File: B.JEF (Janome)


1	4308 st.	27.1% (32.4 m)
2	4693 st.	15.1% (18.1 m)
3	4558 st.	21.4% (25.6 m)
4	7501 st.	30.6% (36.6 m)
5	1453 st.	5.8% (6.9 m)

Stitches: 22513
Size: 66.0 x 258.2 mm (2.60 x 10.17 ")
Begin: 33.0, 129.1 mm
End: 65.6, 3.9 mm
Start needle: 1
Colors: 4/5 , Stops: 4
Date: 04-04-2022

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

Upper thread 119.6 m
Bobbin 39.9 m

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:

(4309) Stop 1
(9002) Stop 2
(13560) Stop 3
(21061) Stop 4
(22513) End




Needle Thread consumption File: C.JEF (Janome)

1	6825 st.	28.7% (35.2 m)
2	154 st.	1.0% (1.2 m)
3	105 st.	0.4% (0.5 m)
4	30 st.	0.1% (0.1 m)
5	169 st.	0.7% (0.9 m)
6	24 st.	0.1% (0.1 m)
7	103 st.	0.4% (0.5 m)
8	138 st.	0.9% (1.1 m)
9	56 st.	0.2% (0.2 m)
10	27 st.	0.1% (0.1 m)
11	143 st.	0.6% (0.7 m)
12	161 st.	1.0% (1.2 m)
13	105 st.	0.4% (0.5 m)
14	30 st.	0.1% (0.1 m)
15	169 st.	0.7% (0.9 m)
16	24 st.	0.1% (0.1 m)
17	103 st.	0.4% (0.5 m)
18	138 st.	0.9% (1.1 m)
19	56 st.	0.2% (0.2 m)
20	27 st.	0.1% (0.1 m)
21	143 st.	0.6% (0.7 m)
22	155 st.	1.0% (1.2 m)
23	105 st.	0.4% (0.5 m)
24	30 st.	0.1% (0.1 m)
25	169 st.	0.7% (0.9 m)
26	24 st.	0.1% (0.1 m)
27	103 st.	0.4% (0.5 m)
28	138 st.	0.9% (1.1 m)
29	56 st.	0.2% (0.2 m)
30	27 st.	0.1% (0.1 m)
31	143 st.	0.6% (0.7 m)
32	155 st.	1.0% (1.2 m)
33	105 st.	0.4% (0.5 m)
34	30 st.	0.1% (0.1 m)
35	169 st.	0.7% (0.9 m)
36	24 st.	0.1% (0.1 m)
(continued)		
Upper thread		122.9 m
Bobbin		41.0 m

Stitches: 19024
Size: 65.2 x 259.4 mm (2.57 x 10.21 ")
Begin: 32.6, 129.7 mm
End: 0.7, 250.9 mm
Start needle: 1
Colors: 5/45 , Stops: 44
Date: 04-04-2022

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (6826) Stop 1
 - (6980) Stop 2
 - (7085) Stop 3
 - (7115) Stop 4
 - (7284) Stop 5
 - (7308) Stop 6
 - (7411) Stop 7
 - (7549) Stop 8
 - (7605) Stop 9
 - (7632) Stop 10
 - (7775) Stop 11
 - (7936) Stop 12
 - (8041) Stop 13
 - (8071) Stop 14
 - (8240) Stop 15
 - (8264) Stop 16
 - (8367) Stop 17
 - (8505) Stop 18
 - (8561) Stop 19
 - (8588) Stop 20
 - (8731) Stop 21
 - (8886) Stop 22
 - (8991) Stop 23
 - (9021) Stop 24
 - (9190) Stop 25
 - (9214) Stop 26
 - (9317) Stop 27
 - (9455) Stop 28
 - (9511) Stop 29
 - (9538) Stop 30
 - (9681) Stop 31
 - (9836) Stop 32
 - (9941) Stop 33
 - (9971) Stop 34
 - (10140) Stop 35
 - (10164) Stop 36
- (continued)




Needle Thread consumption**File: C.JEF (Janome)**

37	103 st.	0.4% (0.5 m)
38	138 st.	0.9% (1.1 m)
39	56 st.	0.2% (0.2 m)
40	27 st.	0.1% (0.1 m)
41	2647 st.	16.9% (20.8 m)
42	1670 st.	10.9% (13.4 m)
43	2503 st.	16.3% (20.0 m)
44	875 st.	5.3% (6.5 m)
45	842 st.	4.7% (5.8 m)

Stitches: 19024**Size: 65.2 x 259.4 mm (2.57 x 10.21 ")****Begin: 32.6, 129.7 mm****End: 0.7, 250.9 mm****Start needle: 1****Colors: 5/45 , Stops: 44****Date: 04-04-2022**

Upper thread	122.9 m
Bobbin	41.0 m



This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Histogram

(continued)

(10267)	Stop 37
(10405)	Stop 38
(10461)	Stop 39
(10488)	Stop 40
(13135)	Stop 41
(14805)	Stop 42
(17308)	Stop 43
(18183)	Stop 44
(19024)	End

Stitches ratio diagram:




Needle Thread consumption File: D.JEF (Janome)

1	5578 st.	24.8% (25.1 m)
2	24 st.	0.1% (0.1 m)
3	56 st.	0.2% (0.2 m)
4	24 st.	0.1% (0.1 m)
5	64 st.	0.3% (0.3 m)
6	25 st.	0.1% (0.1 m)
7	72 st.	0.3% (0.3 m)
8	73 st.	0.3% (0.3 m)
9	64 st.	0.3% (0.3 m)
10	46 st.	0.2% (0.2 m)
11	64 st.	0.3% (0.3 m)
12	25 st.	0.1% (0.1 m)
13	72 st.	0.3% (0.3 m)
14	72 st.	0.3% (0.3 m)
15	60 st.	0.3% (0.3 m)
16	21 st.	0.1% (0.1 m)
17	61 st.	0.3% (0.3 m)
18	43 st.	0.2% (0.2 m)
19	56 st.	0.2% (0.2 m)
20	24 st.	0.1% (0.1 m)
21	64 st.	0.3% (0.3 m)
22	25 st.	0.1% (0.1 m)
23	72 st.	0.3% (0.3 m)
24	73 st.	0.3% (0.3 m)
25	64 st.	0.3% (0.3 m)
26	46 st.	0.2% (0.2 m)
27	64 st.	0.3% (0.3 m)
28	25 st.	0.1% (0.1 m)
29	72 st.	0.3% (0.3 m)
30	72 st.	0.3% (0.3 m)
31	60 st.	0.3% (0.3 m)
32	21 st.	0.1% (0.1 m)
33	61 st.	0.3% (0.3 m)
34	33 st.	0.1% (0.1 m)
35	128 st.	0.6% (0.7 m)
36	39 st.	0.2% (0.2 m)
(continued)		
Upper thread	101.0 m	
Bobbin	33.7 m	

Stitches: 18411
Size: 64.6 x 261.0 mm (2.54 x 10.28 ")
Begin: 32.3, 130.5 mm
End: 1.2, 8.5 mm
Start needle: 1
Colors: 5/54 , Stops: 53
Date: 04-04-2022

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (5579) Stop 1
 - (5603) Stop 2
 - (5659) Stop 3
 - (5683) Stop 4
 - (5747) Stop 5
 - (5772) Stop 6
 - (5844) Stop 7
 - (5917) Stop 8
 - (5981) Stop 9
 - (6027) Stop 10
 - (6091) Stop 11
 - (6116) Stop 12
 - (6188) Stop 13
 - (6260) Stop 14
 - (6320) Stop 15
 - (6341) Stop 16
 - (6402) Stop 17
 - (6445) Stop 18
 - (6501) Stop 19
 - (6525) Stop 20
 - (6589) Stop 21
 - (6614) Stop 22
 - (6686) Stop 23
 - (6759) Stop 24
 - (6823) Stop 25
 - (6869) Stop 26
 - (6933) Stop 27
 - (6958) Stop 28
 - (7030) Stop 29
 - (7102) Stop 30
 - (7162) Stop 31
 - (7183) Stop 32
 - (7244) Stop 33
 - (7277) Stop 34
 - (7405) Stop 35
 - (7444) Stop 36
- (continued)




Needle Thread consumption File: D.JEF (Janome)

(continued)

37	224 st.	1.2%	(1.2 m)
38	21 st.	0.1%	(0.1 m)
39	128 st.	0.6%	(0.7 m)
40	38 st.	0.2%	(0.2 m)
41	224 st.	1.2%	(1.2 m)
42	20 st.	0.1%	(0.1 m)
43	128 st.	0.6%	(0.7 m)
44	39 st.	0.2%	(0.2 m)
45	224 st.	1.2%	(1.2 m)
46	21 st.	0.1%	(0.1 m)
47	128 st.	0.6%	(0.7 m)
48	39 st.	0.2%	(0.2 m)
49	222 st.	1.2%	(1.2 m)
50	20 st.	0.1%	(0.1 m)
51	2024 st.	14.6%	(14.7 m)
52	2633 st.	17.8%	(18.0 m)
53	2019 st.	14.5%	(14.6 m)
54	2816 st.	12.7%	(12.8 m)

Upper thread 101.0 m
Bobbin 33.7 m

Stitches: 18411
Size: 64.6 x 261.0 mm (2.54 x 10.28 ")
Begin: 32.3, 130.5 mm
End: 1.2, 8.5 mm
Start needle: 1
Colors: 5/54 , Stops: 53
Date: 04-04-2022



This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Histogram

(continued)

(7668)	Stop 37
(7689)	Stop 38
(7817)	Stop 39
(7855)	Stop 40
(8079)	Stop 41
(8099)	Stop 42
(8227)	Stop 43
(8266)	Stop 44
(8490)	Stop 45
(8511)	Stop 46
(8639)	Stop 47
(8678)	Stop 48
(8900)	Stop 49
(8920)	Stop 50
(10944)	Stop 51
(13577)	Stop 52
(15596)	Stop 53
(18411)	End

Stitches ratio diagram:

