



Creative Fabrica

**Embroidery Design
Sewing Information**

www.creativefabrica.com/embroidery/

© Creative Fabrica

Needle Thread consumption

1	6389 st.	44.8%	(29.1 m)
2	3293 st.	21.7%	(14.1 m)
3	1536 st.	7.6%	(4.9 m)
4	255 st.	1.4%	(0.9 m)
5	4312 st.	24.4%	(15.8 m)

Upper thread 64.8 m
Bobbin 21.6 m

File: panda100.hus (Viking Husqvarna)

Design name: panda100

Stitches: 15785

Size: 99.4 x 91.2 mm (3.91 x 3.59 ")

Begin: 49.7, 45.6 mm


End: 84.4, 56.6 mm

Start needle: 1

Colors: 4/5 , Stops: 4

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(6390) Stop 1
(9683) Stop 2
(11219) Stop 3
(11474) Stop 4
(15785) End

Stitches ratio diagram:



Needle Thread consumption

1	8521 st.	44.7%	(40.3 m)
2	4429 st.	22.1%	(19.9 m)
3	1996 st.	7.5%	(6.7 m)
4	323 st.	1.4%	(1.2 m)
5	5405 st.	24.3%	(21.9 m)

Upper thread 90.1 m
 Bobbin 30.0 m

File: panda120.hus (Viking Husqvarna)

Design name: panda120

Stitches: 20674

Size: 119.4 x 109.6 mm (4.70 x 4.31 ")

Begin: 59.7, 54.8 mm


End: 101.5, 68.1 mm

Start needle: 1

Colors: 4/5 , Stops: 4

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (8522) Stop 1
- (12951) Stop 2
- (14947) Stop 3
- (15270) Stop 4
- (20674) End

Stitches ratio diagram:



Needle Thread consumption


1	11016 st.	44.8%	(53.7 m)
2	5625 st.	21.8%	(26.2 m)
3	2579 st.	7.5%	(8.9 m)
4	395 st.	1.3%	(1.6 m)
5	6642 st.	24.6%	(29.6 m)

Upper thread 120.0 m
Bobbin 40.0 m

File: panda140.hus (Viking Husqvarna)**Design name: panda140****Stitches: 26257****Size: 139.4 x 127.8 mm (5.49 x 5.03 ")****Begin: 69.7, 63.9 mm****End: 118.5, 79.5 mm****Start needle: 1****Colors: 4/5 , Stops: 4**

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

(11017) Stop 1
(16642) Stop 2
(19221) Stop 3
(19616) Stop 4
(26257) End

Stitches ratio diagram:



Needle Thread consumption

1	13880 st.	44.9%	(69.7 m)
2	7058 st.	21.8%	(33.9 m)
3	3213 st.	7.3%	(11.4 m)
4	477 st.	1.3%	(2.0 m)
5	7895 st.	24.6%	(38.2 m)

Upper thread 155.3 m
Bobbin 51.8 m

File: panda160.hus (Viking Husqvarna)

Design name: panda160

Stitches: 32523

Size: 159.4 x 146.2 mm (6.28 x 5.76 ")

Begin: 79.7, 73.1 mm


End: 135.5, 91.0 mm

Start needle: 1

Colors: 4/5 , Stops: 4

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(13881) Stop 1
(20939) Stop 2
(24152) Stop 3
(24629) Stop 4
(32523) End

Stitches ratio diagram:



Needle Thread consumption


1	16948 st.	44.9%	(86.7 m)
2	8465 st.	21.6%	(41.7 m)
3	3959 st.	7.4%	(14.2 m)
4	578 st.	1.3%	(2.5 m)
5	9262 st.	24.9%	(48.1 m)

Upper thread 193.3 m
Bobbin 64.4 m

File: panda180.hus (Viking Husqvarna)**Design name: panda180****Stitches: 39212****Size: 179.4 x 164.6 mm (7.06 x 6.48 ")****Begin: 89.7, 82.3 mm****End: 152.8, 102.1 mm****Start needle: 1****Colors: 4/5 , Stops: 4**

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

(16949) Stop 1
(25414) Stop 2
(29373) Stop 3
(29951) Stop 4
(39212) End

Stitches ratio diagram:

