



Creative Fabrica

**Embroidery Design
Sewing Information**

www.creativefabrica.com/embroidery/

© Creative Fabrica

Needle Thread consumption


1	2729 st.	22.7%	(44.8 ft)
2	625 st.	7.8%	(15.4 ft)
3	4201 st.	37.4%	(73.7 ft)
4	489 st.	8.0%	(15.8 ft)
5	92 st.	1.0%	(1.9 ft)
6	3700 st.	23.2%	(45.8 ft)

Upper thread 197.4 ft
Bobbin 65.8 ft

File: bee100.hus (Viking Husqvarna)**Design name: bee100****Stitches: 11836****Size: 3.46 x 3.91 " (88.0 x 99.2 mm)****Begin: 1.73, 1.95 "****End: 2.70, 2.57 "****Start needle: 1****Colors: 5/6 , Stops: 5**

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

(2730) Stop 1
(3355) Stop 2
(7556) Stop 3
(8045) Stop 4
(8137) Stop 5
(11836) End

Stitches ratio diagram:

Needle Thread consumption


1	3703 st.	22.8%	(63.5 ft)
2	858 st.	7.8%	(21.7 ft)
3	5813 st.	37.9%	(105.4 ft)
4	820 st.	8.2%	(22.7 ft)
5	105 st.	0.9%	(2.6 ft)
6	4443 st.	22.4%	(62.2 ft)

Upper thread 278.2 ft
Bobbin 92.7 ft

File: bee120.hus (Viking Husqvarna)**Design name: bee120****Stitches: 15742****Size: 4.16 x 4.69 " (105.6 x 119.2 mm)****Begin: 2.08, 2.35 "****End: 3.24, 3.09 "****Start needle: 1****Colors: 5/6 , Stops: 5**

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

(3704) Stop 1
(4562) Stop 2
(10375) Stop 3
(11195) Stop 4
(11300) Stop 5
(15742) End

Stitches ratio diagram:



Needle Thread consumption

1	4821 st.	23.0%	(85.5 ft)
2	1119 st.	7.8%	(29.1 ft)
3	7651 st.	38.1%	(141.7 ft)
4	976 st.	8.3%	(31.0 ft)
5	134 st.	0.9%	(3.5 ft)
6	5190 st.	21.7%	(80.8 ft)

Upper thread 371.6 ft
 Bobbin 123.9 ft

File: bee140.hus (Viking Husqvarna)

Design name: bee140

Stitches: 19891

Size: 4.85 x 5.48 " (123.2 x 139.2 mm)

Begin: 2.43, 2.74 "


End: 3.78, 3.61 "

Start needle: 1

Colors: 5/6 , Stops: 5

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (4822) Stop 1
- (5941) Stop 2
- (13592) Stop 3
- (14568) Stop 4
- (14702) Stop 5
- (19891) End

Stitches ratio diagram:



Needle Thread consumption


1	6107 st.	23.1%	(110.6 ft)
2	1419 st.	7.8%	(37.6 ft)
3	9838 st.	38.5%	(184.7 ft)
4	1228 st.	8.4%	(40.2 ft)
5	184 st.	0.9%	(4.5 ft)
6	5915 st.	21.2%	(101.9 ft)

Upper thread 479.5 ft
Bobbin 159.8 ft

File: bee160.hus (Viking Husqvarna)**Design name: bee160****Stitches: 24691****Size: 5.54 x 6.27 " (140.8 x 159.2 mm)****Begin: 2.77, 3.13 "****End: 4.32, 4.13 "****Start needle: 1****Colors: 5/6 , Stops: 5**

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

(6108) Stop 1
(7527) Stop 2
(17365) Stop 3
(18593) Stop 4
(18777) Stop 5
(24691) End

Stitches ratio diagram:



Needle Thread consumption


1	7579 st.	23.2%	(139.6 ft)
2	1748 st.	7.9%	(47.2 ft)
3	12282 st.	38.8%	(233.3 ft)
4	1638 st.	8.4%	(50.8 ft)
5	216 st.	0.9%	(5.5 ft)
6	6567 st.	20.7%	(124.6 ft)

Upper thread 601.0 ft
Bobbin 200.3 ft

File: bee180.hus (Viking Husqvarna)**Design name: bee180****Stitches: 30030****Size: 6.24 x 7.06 " (158.4 x 179.2 mm)****Begin: 3.12, 3.53 "****End: 4.87, 4.65 "****Start needle: 1****Colors: 5/6 , Stops: 5**

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

(7580)	Stop 1
(9328)	Stop 2
(21610)	Stop 3
(23248)	Stop 4
(23464)	Stop 5
(30030)	End

Stitches ratio diagram:

Needle Thread consumption


1	9151 st.	23.3%	(171.6 ft)
2	2118 st.	7.9%	(58.3 ft)
3	14896 st.	38.9%	(286.4 ft)
4	1847 st.	8.5%	(62.8 ft)
5	248 st.	0.9%	(6.7 ft)
6	7287 st.	20.4%	(150.1 ft)

Upper thread 735.9 ft
Bobbin 245.3 ft

File: bee200.hus (Viking Husqvarna)**Design name: bee200****Stitches: 35547****Size: 6.94 x 7.84 " (176.2 x 199.2 mm)****Begin: 3.47, 3.92 "****End: 5.41, 5.16 "****Start needle: 1****Colors: 5/6 , Stops: 5**


This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

(9152) Stop 1
(11270) Stop 2
(26166) Stop 3
(28013) Stop 4
(28261) Stop 5
(35547) End

Stitches ratio diagram:



Needle Thread consumption


1	10788 st.	23.3%	(206.0 ft)
2	2500 st.	7.9%	(69.9 ft)
3	17875 st.	39.1%	(346.2 ft)
4	2239 st.	8.6%	(75.8 ft)
5	279 st.	0.9%	(8.1 ft)
6	8211 st.	20.2%	(178.4 ft)

Upper thread 884.5 ft
Bobbin 294.8 ft

File: bee220.hus (Viking Husqvarna)**Design name: bee220****Stitches: 41892****Size: 7.63 x 8.63 " (193.8 x 219.2 mm)****Begin: 3.81, 4.31 "****End: 5.95, 5.68 "****Start needle: 1****Colors: 5/6 , Stops: 5**

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

(10789) Stop 1
(13289) Stop 2
(31164) Stop 3
(33403) Stop 4
(33682) Stop 5
(41892) End

Stitches ratio diagram:

