

Creative Fabrica

**Embroidery Design
Sewing Information**

www.creativefabrica.com/embroidery/

© Creative Fabrica

Needle Thread consumption

1	573 st.	9.4%	(8.3 ft)
2	569 st.	9.7%	(8.5 ft)
3	402 st.	5.8%	(5.1 ft)
4	1818 st.	24.7%	(21.8 ft)
5	1252 st.	17.2%	(15.2 ft)
6	977 st.	16.1%	(14.2 ft)
7	688 st.	7.2%	(6.3 ft)
8	535 st.	6.8%	(6.0 ft)
9	171 st.	2.3%	(2.0 ft)
10	44 st.	0.7%	(0.6 ft)

Upper thread	88.2 ft
Bobbin	29.4 ft

File: nutcracker100.hus (Viking Husqvarna)

Design name: nutcrack

Stitches: 7029

Size: 1.45 x 3.91 " (36.8 x 99.2 mm)

Begin: 0.72, 1.95 "


End: 0.71, 2.67 "

Start needle: 1

Colors: 9/10 , Stops: 9

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.

This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.



Histogram

(574)	Stop 1
(1143)	Stop 2
(1545)	Stop 3
(3363)	Stop 4
(4615)	Stop 5
(5592)	Stop 6
(6280)	Stop 7
(6815)	Stop 8
(6986)	Stop 9
(7029)	End

Stitches ratio diagram:



Needle Thread consumption

1	774 st.	9.7%	(11.9 ft)
2	760 st.	9.9%	(12.2 ft)
3	534 st.	5.8%	(7.2 ft)
4	2431 st.	25.2%	(30.9 ft)
5	1553 st.	16.9%	(20.8 ft)
6	1267 st.	16.2%	(19.9 ft)
7	757 st.	6.4%	(7.8 ft)
8	694 st.	6.9%	(8.5 ft)
9	200 st.	2.2%	(2.7 ft)
10	50 st.	0.7%	(0.8 ft)

Upper thread 122.7 ft
Bobbin 40.9 ft

File: nutcracker120.hus (Viking Husqvarna)

Design name: nutcrack

Stitches: 9020

Size: 1.68 x 4.69 " (42.6 x 119.2 mm)

Begin: 0.84, 2.35 "


End: 0.85, 3.20 "

Start needle: 1

Colors: 9/10 , Stops: 9

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(775) Stop 1
(1535) Stop 2
(2069) Stop 3
(4500) Stop 4
(6053) Stop 5
(7320) Stop 6
(8077) Stop 7
(8771) Stop 8
(8971) Stop 9
(9020) End

Stitches ratio diagram:



Needle Thread consumption


1	960 st.	9.7%	(15.8 ft)
2	992 st.	10.0%	(16.3 ft)
3	694 st.	5.9%	(9.7 ft)
4	3072 st.	25.4%	(41.3 ft)
5	1936 st.	17.1%	(27.9 ft)
6	1620 st.	16.3%	(26.6 ft)
7	886 st.	5.9%	(9.6 ft)
8	859 st.	7.0%	(11.3 ft)
9	230 st.	2.1%	(3.4 ft)
10	58 st.	0.6%	(1.0 ft)

Upper thread 162.9 ft
Bobbin 54.3 ft

File: nutcracker140.hus (Viking Husqvarna)
Design name: nutcrack
Stitches: 11307
Size: 1.96 x 5.48 " (49.8 x 139.2 mm)
Begin: 0.98, 2.74 "
End: 1.00, 3.74 "
Start needle: 1
Colors: 9/10 , Stops: 9

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.

This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.



Histogram

- (961) Stop 1
- (1953) Stop 2
- (2647) Stop 3
- (5719) Stop 4
- (7655) Stop 5
- (9275) Stop 6
- (10161) Stop 7
- (11020) Stop 8
- (11250) Stop 9
- (11307) End

Stitches ratio diagram:



Needle Thread consumption

1	1188 st.	9.7%	(20.2 ft)
2	1258 st.	10.2%	(21.2 ft)
3	832 st.	6.0%	(12.4 ft)
4	3801 st.	25.6%	(53.3 ft)
5	2314 st.	17.2%	(35.7 ft)
6	1988 st.	16.4%	(34.2 ft)
7	964 st.	5.5%	(11.5 ft)
8	1000 st.	6.9%	(14.3 ft)
9	261 st.	2.0%	(4.2 ft)
10	63 st.	0.6%	(1.2 ft)

Upper thread 208.2 ft
Bobbin 69.4 ft

File: nutcracker160.hus (Viking Husqvarna)

Design name: nutcrack

Stitches: 13669

Size: 2.24 x 6.27 " (57.0 x 159.2 mm)

Begin: 1.12, 3.13 "


End: 1.14, 4.28 "

Start needle: 1

Colors: 9/10 , Stops: 9

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(1189) Stop 1
(2447) Stop 2
(3279) Stop 3
(7080) Stop 4
(9394) Stop 5
(11382) Stop 6
(12346) Stop 7
(13346) Stop 8
(13607) Stop 9
(13669) End

Stitches ratio diagram:



Needle Thread consumption

1	1467 st.	9.9%	(25.7 ft)
2	1573 st.	10.4%	(26.9 ft)
3	995 st.	5.9%	(15.4 ft)
4	4604 st.	25.7%	(66.7 ft)
5	2708 st.	17.1%	(44.3 ft)
6	2405 st.	16.5%	(42.8 ft)
7	1076 st.	5.2%	(13.5 ft)
8	1149 st.	6.8%	(17.7 ft)
9	295 st.	2.0%	(5.1 ft)
10	72 st.	0.6%	(1.5 ft)

Upper thread 259.6 ft
Bobbin 86.5 ft

File: nutcracker180.hus (Viking Husqvarna)

Design name: nutcrack

Stitches: 16344

Size: 2.53 x 7.06 " (64.2 x 179.2 mm)

Begin: 1.26, 3.53 "


End: 1.28, 4.82 "

Start needle: 1

Colors: 9/10 , Stops: 9

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.


This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.



Histogram

(1468) Stop 1
(3041) Stop 2
(4036) Stop 3
(8640) Stop 4
(11348) Stop 5
(13753) Stop 6
(14829) Stop 7
(15978) Stop 8
(16273) Stop 9
(16344) End

Stitches ratio diagram:



Needle Thread consumption

1	1786 st.	9.8% (31.1 ft)
2	1861 st.	10.4% (32.7 ft)
3	1183 st.	5.9% (18.5 ft)
4	5454 st.	25.9% (81.8 ft)
5	3242 st.	17.2% (54.4 ft)
6	2864 st.	16.6% (52.4 ft)
7	1169 st.	4.9% (15.6 ft)
8	1311 st.	6.8% (21.6 ft)
9	311 st.	1.9% (6.0 ft)
10	76 st.	0.5% (1.7 ft)

Upper thread 315.9 ft
Bobbin 105.3 ft

File: nutcracker200.hus (Viking Husqvarna)

Design name: nutcrack

Stitches: 19257

Size: 2.81 x 7.84 " (71.4 x 199.2 mm)

Begin: 1.41, 3.92 "


End: 1.42, 5.35 "

Start needle: 1

Colors: 9/10 , Stops: 9

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.

This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.



Histogram

- (1787) Stop 1
- (3648) Stop 2
- (4831) Stop 3
- (10285) Stop 4
- (13527) Stop 5
- (16391) Stop 6
- (17560) Stop 7
- (18871) Stop 8
- (19182) Stop 9
- (19257) End

Stitches ratio diagram:



Needle Thread consumption


1	2094 st.	9.9%	(37.4 ft)
2	2207 st.	10.4%	(39.3 ft)
3	1430 st.	6.0%	(22.7 ft)
4	6452 st.	26.0%	(98.4 ft)
5	3688 st.	17.1%	(64.5 ft)
6	3358 st.	16.6%	(62.9 ft)
7	1273 st.	4.7%	(17.9 ft)
8	1499 st.	6.8%	(25.8 ft)
9	346 st.	1.9%	(7.1 ft)
10	83 st.	0.5%	(2.0 ft)

Upper thread 378.0 ft
Bobbin 126.0 ft

File: nutcracker220.hus (Viking Husqvarna)**Design name: nutcrack****Stitches: 22430****Size: 3.09 x 8.63 " (78.6 x 219.2 mm)****Begin: 1.55, 4.31 "****End: 1.56, 5.89 "****Start needle: 1****Colors: 9/10 , Stops: 9**

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.

This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.

**Histogram**

(2095) Stop 1
(4302) Stop 2
(5732) Stop 3
(12184) Stop 4
(15872) Stop 5
(19230) Stop 6
(20503) Stop 7
(22002) Stop 8
(22348) Stop 9
(22430) End

Stitches ratio diagram:

Needle Thread consumption

1	2417 st.	9.9%	(44.0 ft)
2	2589 st.	10.5%	(46.7 ft)
3	1640 st.	6.0%	(26.6 ft)
4	7483 st.	26.3%	(117.0 ft)
5	4283 st.	17.0%	(75.9 ft)
6	3920 st.	16.7%	(74.6 ft)
7	1371 st.	4.5%	(20.2 ft)
8	1701 st.	6.8%	(30.4 ft)
9	377 st.	1.8%	(8.2 ft)
10	88 st.	0.5%	(2.2 ft)

Upper thread 445.6 ft
Bobbin 148.5 ft

File: nutcracker240.hus (Viking Husqvarna)

Design name: nutcrack

Stitches: 25869

Size: 3.38 x 9.42 " (85.8 x 239.2 mm)

Begin: 1.69, 4.71 "


End: 1.71, 6.43 "

Start needle: 1

Colors: 9/10 , Stops: 9

This area is reserved for
your logo. Place logo.bmp
file (width: 289 , height: 98 pixels)
in the same folder as
embird.exe file.


This area is reserved for
your address information.
Place address.txt text file
containing your address in the
same folder as embird.exe
file.



Histogram

(2418) Stop 1
(5007) Stop 2
(6647) Stop 3
(14130) Stop 4
(18413) Stop 5
(22333) Stop 6
(23704) Stop 7
(25405) Stop 8
(25782) Stop 9
(25869) End

Stitches ratio diagram:



Needle Thread consumption

1	2793 st.	10.0%	(51.5 ft)
2	3021 st.	10.6%	(54.9 ft)
3	1887 st.	6.1%	(31.4 ft)
4	8469 st.	26.2%	(135.5 ft)
5	4896 st.	16.8%	(86.8 ft)
6	4493 st.	16.8%	(87.1 ft)
7	1469 st.	4.4%	(22.7 ft)
8	1939 st.	6.8%	(35.2 ft)
9	412 st.	1.8%	(9.5 ft)
10	93 st.	0.5%	(2.5 ft)

Upper thread 517.0 ft
Bobbin 172.3 ft

File: nutcracker260.hus (Viking Husqvarna)

Design name: nutcrack

Stitches: 29472

Size: 3.66 x 10.20 " (92.9 x 259.2 mm)

Begin: 1.82, 5.10 "


End: 1.85, 6.97 "

Start needle: 1

Colors: 9/10 , Stops: 9

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(2794)	Stop 1
(5815)	Stop 2
(7702)	Stop 3
(16171)	Stop 4
(21067)	Stop 5
(25560)	Stop 6
(27029)	Stop 7
(28968)	Stop 8
(29380)	Stop 9
(29472)	End

Stitches ratio diagram:



Needle Thread consumption

1	3172 st.	10.0%	(59.5 ft)
2	3470 st.	10.7%	(63.6 ft)
3	2107 st.	6.0%	(36.0 ft)
4	9669 st.	26.4%	(157.3 ft)
5	5470 st.	16.8%	(99.9 ft)
6	5113 st.	16.9%	(100.6 ft)
7	1589 st.	4.2%	(25.2 ft)
8	2201 st.	6.8%	(40.6 ft)
9	460 st.	1.8%	(10.9 ft)
10	100 st.	0.5%	(2.8 ft)

Upper thread 596.3 ft
Bobbin 198.8 ft

File: nutcracker280.hus (Viking Husqvarna)

Design name: nutcrack

Stitches: 33351

Size: 3.94 x 10.99 " (100.0 x 279.2 mm)

Begin: 1.97, 5.50 "


End: 1.99, 7.50 "

Start needle: 1

Colors: 9/10 , Stops: 9

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(3173) Stop 1
(6643) Stop 2
(8750) Stop 3
(18419) Stop 4
(23889) Stop 5
(29002) Stop 6
(30591) Stop 7
(32792) Stop 8
(33252) Stop 9
(33351) End

Stitches ratio diagram:

