





Creative Fabrica

**Embroidery Design
Sewing Information**

www.creativefabrica.com/embroidery/

© Creative Fabrica



Product type:
Product:
Total qty:
Product colors:
Position:

Terms and Conditions:

Approved By:

Date:

Production Worksheet


Wilcom EmbroideryStudio - Designing

DESIGN12

Design: Design12

Title:

Stitches: 19,102
Height: 4.71 in
Width: 4.00 in
Colors: 18
Colorway: Colorway 1
Zoom: 1:1



Machine format: Tajima
Color changes: 18
Stops: 19
Trims: 182
Appliqués: 0
Left: 53.5 mm
Right: 48.1 mm
Up: 9.9 mm
Down: 109.7 mm
EndX: -0.15 in
EndY: -0.21 in
Area: 18.85 in²
Max stitch: 12.1 mm
Min stitch: 0.0 mm
Max jump: 6.9 mm
Total thread: 216.52ft
Total bobbin: 50.34ft

Stop Sequence:						
#	N#	Color	St.	Code	Name	Chart
1.	24		1,504		R253 G212 B156	
2.	27		1,229		R236 G183 B112	
3.	26		639		R40 G8 B0	
4.	31		427		R151 G177 B137	
5.	21		961		R122 G37 B36	
6.	25		2,137		R57 G131 B47	
7.	28		1,340		R107 G161 B97	
8.	19		975		R234 G94 B121	
9.	20		2,025		R180 G210 B100	
10.	30		490		R237 G143 B161	
11.	22		663		R187 G51 B50	
12.	16		1,281		R0 G0 B0	
13.	17		1,420		R254 G233 B148	
14.	23		808		R209 G235 B140	
15.	18		2,082		R253 G215 B54	
16.	29		662		R220 G183 B26	
17.	32		206		R62 G50 B5	
18.	33		26		R121 G120 B118	
19.	25		225		R57 G131 B47	

Approval Sheet



Wilcom EmbroideryStudio - Designing

4000

Design: 4000

Title:

Height: 5.88 in
Width: 5.00 in
Colors: 18
Colorway: Colorway 1
Zoom: 1:1



Product type:
Product:
Total qty:
Product colors:
Position:

Terms and Conditions:

Approved By:

Date:

Production Worksheet


Wilcom EmbroideryStudio - Designing

4000

Design: 4000

Title:

Stitches: 23,428
Height: 5.88 in
Width: 5.00 in
Colors: 18
Colorway: Colorway 1
Zoom: 1:1



Machine format: Tajima
Color changes: 18
Stops: 19
Trims: 200
Appliqués: 0
Left: 66.9 mm
Right: 60.2 mm
Up: 12.5 mm
Down: 137.0 mm
EndX: -0.19 in
EndY: -0.26 in
Area: 29.44 in²
Max stitch: 7.1 mm
Min stitch: 0.0 mm
Max jump: 7.0 mm
Total thread: 279.00ft
Total bobbin: 70.54ft

Stop Sequence:						
#	N#	Color	St.	Code	Name	Chart
1.	24		1,787		R253 G212 B156	
2.	27		1,493		R236 G183 B112	
3.	26		731		R40 G8 B0	
4.	31		540		R151 G177 B137	
5.	21		1,227		R122 G37 B36	
6.	25		2,726		R57 G131 B47	
7.	28		1,636		R107 G161 B97	
8.	19		1,268		R234 G94 B121	
9.	20		2,555		R180 G210 B100	
10.	30		544		R237 G143 B161	
11.	22		805		R187 G51 B50	
12.	16		1,611		R0 G0 B0	
13.	17		1,728		R254 G233 B148	
14.	23		962		R209 G235 B140	
15.	18		2,535		R253 G215 B54	
16.	29		728		R220 G183 B26	
17.	32		264		R62 G50 B5	
18.	33		30		R121 G120 B118	
19.	25		256		R57 G131 B47	

Approval Sheet



Wilcom EmbroideryStudio - Designing

4000

Design: 4000

Title:

Height: 7.06 in
Width: 6.00 in
Colors: 18
Colorway: Colorway 1
Zoom: 1:1



Product type:
Product:
Total qty:
Product colors:
Position:

Terms and Conditions:

Approved By:

Date:

Production Worksheet


Wilcom EmbroideryStudio - Designing

4000

Design: 4000

Title:

Stitches:	27,617
Height:	7.06 in
Width:	6.00 in
Colors:	18
Colorway:	Colorway 1
Zoom:	1:1



Production Worksheet Wilcom EmbroideryStudio - Designing *4000* Design: 4000 Title:						Stitches: 27,617 Height: 7.06 in Width: 6.00 in Colors: 18 Colorway: Colorway 1 Zoom: 1:1																																																																																																																																													
Machine format: Tajima Color changes: 18 Stops: 19 Trims: 210 Appliqués: 0 Left: 80.2 mm Right: 72.4 mm Up: 15.0 mm Down: 164.3 mm EndX: -0.22 in EndY: -0.31 in Area 42.38 in² Max stitch: 8.6 mm Min stitch: 0.0 mm Max jump: 7.0 mm Total thread: 345.48ft Total bobbin: 93.65ft																																																																																																																																																			
Stop Sequence: <table><tr><th>#</th><th>N#</th><th>Color</th><th>St.</th><th>Code</th><th>Name</th><th>Chart</th></tr><tr><td>1.</td><td>24</td><td></td><td>2,064</td><td></td><td>R253 G212 B156</td><td></td></tr><tr><td>2.</td><td>27</td><td></td><td>1,713</td><td></td><td>R236 G183 B112</td><td></td></tr><tr><td>3.</td><td>26</td><td></td><td>833</td><td></td><td>R40 G8 B0</td><td></td></tr><tr><td>4.</td><td>31</td><td></td><td>694</td><td></td><td>R151 G177 B137</td><td></td></tr><tr><td>5.</td><td>21</td><td></td><td>1,475</td><td></td><td>R122 G37 B36</td><td></td></tr><tr><td>6.</td><td>25</td><td></td><td>3,191</td><td></td><td>R57 G131 B47</td><td></td></tr><tr><td>7.</td><td>28</td><td></td><td>1,962</td><td></td><td>R107 G161 B97</td><td></td></tr><tr><td>8.</td><td>19</td><td></td><td>1,481</td><td></td><td>R234 G94 B121</td><td></td></tr><tr><td>9.</td><td>20</td><td></td><td>2,991</td><td></td><td>R180 G210 B100</td><td></td></tr><tr><td>10.</td><td>30</td><td></td><td>638</td><td></td><td>R237 G143 B161</td><td></td></tr><tr><td>11.</td><td>22</td><td></td><td>960</td><td></td><td>R187 G51 B50</td><td></td></tr><tr><td>12.</td><td>16</td><td></td><td>1,946</td><td></td><td>R0 G0 B0</td><td></td></tr><tr><td>13.</td><td>17</td><td></td><td>2,040</td><td></td><td>R254 G233 B148</td><td></td></tr><tr><td>14.</td><td>23</td><td></td><td>1,114</td><td></td><td>R209 G235 B140</td><td></td></tr><tr><td>15.</td><td>18</td><td></td><td>3,072</td><td></td><td>R253 G215 B54</td><td></td></tr><tr><td>16.</td><td>29</td><td></td><td>826</td><td></td><td>R220 G183 B26</td><td></td></tr><tr><td>17.</td><td>32</td><td></td><td>279</td><td></td><td>R62 G50 B5</td><td></td></tr><tr><td>18.</td><td>33</td><td></td><td>50</td><td></td><td>R121 G120 B118</td><td></td></tr><tr><td>19.</td><td>25</td><td></td><td>286</td><td></td><td>R57 G131 B47</td><td></td></tr></table>						#	N#	Color	St.	Code	Name	Chart	1.	24		2,064		R253 G212 B156		2.	27		1,713		R236 G183 B112		3.	26		833		R40 G8 B0		4.	31		694		R151 G177 B137		5.	21		1,475		R122 G37 B36		6.	25		3,191		R57 G131 B47		7.	28		1,962		R107 G161 B97		8.	19		1,481		R234 G94 B121		9.	20		2,991		R180 G210 B100		10.	30		638		R237 G143 B161		11.	22		960		R187 G51 B50		12.	16		1,946		R0 G0 B0		13.	17		2,040		R254 G233 B148		14.	23		1,114		R209 G235 B140		15.	18		3,072		R253 G215 B54		16.	29		826		R220 G183 B26		17.	32		279		R62 G50 B5		18.	33		50		R121 G120 B118		19.	25		286		R57 G131 B47			
#	N#	Color	St.	Code	Name	Chart																																																																																																																																													
1.	24		2,064		R253 G212 B156																																																																																																																																														
2.	27		1,713		R236 G183 B112																																																																																																																																														
3.	26		833		R40 G8 B0																																																																																																																																														
4.	31		694		R151 G177 B137																																																																																																																																														
5.	21		1,475		R122 G37 B36																																																																																																																																														
6.	25		3,191		R57 G131 B47																																																																																																																																														
7.	28		1,962		R107 G161 B97																																																																																																																																														
8.	19		1,481		R234 G94 B121																																																																																																																																														
9.	20		2,991		R180 G210 B100																																																																																																																																														
10.	30		638		R237 G143 B161																																																																																																																																														
11.	22		960		R187 G51 B50																																																																																																																																														
12.	16		1,946		R0 G0 B0																																																																																																																																														
13.	17		2,040		R254 G233 B148																																																																																																																																														
14.	23		1,114		R209 G235 B140																																																																																																																																														
15.	18		3,072		R253 G215 B54																																																																																																																																														
16.	29		826		R220 G183 B26																																																																																																																																														
17.	32		279		R62 G50 B5																																																																																																																																														
18.	33		50		R121 G120 B118																																																																																																																																														
19.	25		286		R57 G131 B47																																																																																																																																														
Authors:						Design last saved : 6/15/2024 8:09:43 AM																																																																																																																																													
						Date printed: 6/15/2024 11:34:21 AM																																																																																																																																													
						Page 3 of 3																																																																																																																																													

Approval Sheet



Wilcom EmbroideryStudio - Designing

4000

Design: 4000

Title:

Height: 8.23 in
Width: 7.00 in
Colors: 18
Colorway: Colorway 1
Zoom: 0.96



Product type:
Product:
Total qty:
Product colors:
Position:

Terms and Conditions:

Approved By:

Date:

Production Worksheet


Wilcom EmbroideryStudio - Designing

4000

Design: 4000

Title:

Stitches:	31,973
Height:	8.23 in
Width:	7.00 in
Colors:	18
Colorway:	Colorway 1
Zoom:	1:1



Machine format:	Tajima
Color changes:	18
Stops:	19
Trims:	216
Appliqués:	0
Left:	93.4 mm
Right:	84.5 mm
Up:	17.5 mm
Down:	191.6 mm
EndX:	-0.25 in
EndY:	-0.36 in
Area	57.67 in²
Max stitch:	10.0 mm
Min stitch:	0.0 mm
Max jump:	7.0 mm
Total thread:	420.37ft
Total bobbin:	121.09ft

Stop Sequence:						
#	N#	Color	St.	Code	Name	Chart
1.	24		2,383		R253 G212 B156	
2.	27		1,972		R236 G183 B112	
3.	26		916		R40 G8 B0	
4.	31		818		R151 G177 B137	
5.	21		1,814		R122 G37 B36	
6.	25		3,677		R57 G131 B47	
7.	28		2,223		R107 G161 B97	
8.	19		1,764		R234 G94 B121	
9.	20		3,468		R180 G210 B100	
10.	30		733		R237 G143 B161	
11.	22		1,106		R187 G51 B50	
12.	16		2,289		R0 G0 B0	
13.	17		2,367		R254 G233 B148	
14.	23		1,285		R209 G235 B140	
15.	18		3,552		R253 G215 B54	
16.	29		912		R220 G183 B26	
17.	32		308		R62 G50 B5	
18.	33		54		R121 G120 B118	
19.	25		330		R57 G131 B47	

Approval Sheet



Wilcom EmbroideryStudio - Designing

4000

Design: 4000

Title:

Height: 9.41 in
Width: 8.01 in
Colors: 18
Colorway: Colorway 1
Zoom: 0.84



Product type:
Product:
Total qty:
Product colors:
Position:

Terms and Conditions:

Approved By:

Date:

Production Worksheet


Wilcom EmbroideryStudio - Designing

4000

Design: 4000

Title:

Stitches:	36,188
Height:	9.41 in
Width:	8.01 in
Colors:	18
Colorway:	Colorway 1
Zoom:	1:1



Machine format:	Tajima
Color changes:	18
Stops:	19
Trims:	221
Appliqués:	0
Left:	106.7 mm
Right:	96.6 mm
Up:	20.0 mm
Down:	218.9 mm
EndX:	-0.28 in
EndY:	-0.41 in
Area	75.31 in²
Max stitch:	11.2 mm
Min stitch:	0.0 mm
Max jump:	7.0 mm
Total thread:	499.23ft
Total bobbin:	151.43ft

Stop Sequence:						
#	N#	Color	St.	Code	Name	Chart
1.	24		2,670		R253 G212 B156	
2.	27		2,196		R236 G183 B112	
3.	26		1,042		R40 G8 B0	
4.	31		926		R151 G177 B137	
5.	21		2,143		R122 G37 B36	
6.	25		4,177		R57 G131 B47	
7.	28		2,534		R107 G161 B97	
8.	19		2,017		R234 G94 B121	
9.	20		3,928		R180 G210 B100	
10.	30		808		R237 G143 B161	
11.	22		1,203		R187 G51 B50	
12.	16		2,640		R0 G0 B0	
13.	17		2,689		R254 G233 B148	
14.	23		1,440		R209 G235 B140	
15.	18		4,048		R253 G215 B54	
16.	29		972		R220 G183 B26	
17.	32		339		R62 G50 B5	
18.	33		53		R121 G120 B118	
19.	25		361		R57 G131 B47	