


Creative Fabrica

**Embroidery Design
Sewing Information**

www.creativefabrica.com/embroidery/

© Creative Fabrica

FSL In The Hoop Lace Filet border.



More designs in my stores.




Embroidery Manavi 05
Sincerely, Nadezhda.
Machine embroidery designs

Needle Thread consumption

1 ■ 1376 100.0% (73.0 m)


Upper thread 73.0 m
Bobbin 24.3 m
Catalog: Madeira Rayon

File: NV160224_1.DST (Tajima)
Design name: NV160224
Stitches: 18318
Size: 98.2 x 70.7 mm (3.87 x 2.78 ")
Begin: 49.1, 35.3 mm
End: 49.1, 35.3 mm
Start needle: 1
Colors: 1/1 , Stops: 0
Date: 21.02.2024



Histogram

(18318) End



Needle Thread consumption

1 ■ 1376 100.0% (139.3 m)

Upper thread 139.3 m
Bobbin 46.4 m
Catalog: Madeira Rayon

File: NV160224_2.DST (Tajima)

Design name: NV160224

Stitches: 35218

Size: 98.2 x 134.7 mm (3.87 x 5.30 ")


Begin: 49.1, 67.3 mm

End: 49.1, 67.3 mm

Start needle: 1


Colors: 1/1 , Stops: 0

Date: 21.02.2024



Histogram


(35218) End




Needle Thread consumption

1 ■ 1376 100.0% (205.7 m)
Upper thread 205.7 m
Bobbin 68.6 m
Catalog: Madeira Rayon

File: NV160224_3.DST (Tajima)
Design name: NV160224
Stitches: 52119
Size: 98.2 x 198.6 mm (3.87 x 7.82 ")
Begin: 49.1, 99.3 mm
End: 49.1, 99.3 mm
Start needle: 1
Colors: 1/1 , Stops: 0
Date: 21.02.2024



Histogram
(52119) End



Needle Thread consumption

1 ■ 1376 100.0% (269.5 m)

Upper thread 269.5 m
Bobbin 89.8 m
Catalog: Madeira Rayon

File: NV160224_4.DST (Tajima)

Design name: NV160224

Stitches: 68842

Size: 97.3 x 260.2 mm (3.83 x 10.24 ")


Begin: 48.6, 130.1 mm

End: 48.6, 130.1 mm

Start needle: 1


Colors: 1/1 , Stops: 0

Date: 21.02.2024



Histogram

(68842) End




Needle Thread consumption

1 ■ 1376 100.0% (338.4 m)


Upper thread 338.4 m
Bobbin 112.8 m
Catalog: Madeira Rayon

File: NV160224_5.DST (Tajima)
Design name: NV160224
Stitches: 85917
Size: 98.2 x 326.7 mm (3.87 x 12.86 ")
Begin: 49.1, 163.3 mm
End: 49.1, 163.3 mm
Start needle: 1
Colors: 1/1 , Stops: 0
Date: 21.02.2024



Histogram

(85917) End



Легких стежков!

Чтобы вышивать размеры 10,24 и 12,86 в длину, вы должны быть уверенным и опытным вышивальщиком больших изделий FSL.

Общие инструкции для свободно стоящих кружев (FSL):

Узоры FSL можно вышивать нитками из искусственного шелка или полиэстера, в зависимости от ваших предпочтений.

Вам нужен водорастворимый флизелиновый стабилизатор (не пленочные водорастворимые стабилизаторы) плотностью не менее 60 грамм. Если у вас более тонкий стабилизатор я рекомендую использовать 2 слоя стабилизатора. Очень важно закрепить в пальцах стабилизатор очень плотно стараясь его не деформировать и не растягивать.

Для двухсторонней вышивки используйте одну и ту же нить для иглы (верхней) и челночной (нижней) нити.

После завершения вышивки аккуратно обрежьте излишки стабилизатора вокруг вышивки.

Поместите в миску с теплой водой, чтобы смыть остатки стабилизатора. Разложите дизайн ровно и высушите его. При необходимости обработайте паровым утюгом придавая необходимую форму.

Тогда у вас получится качественная работа.

Easy stitches!

To embroider sizes 10.24 and 12.86 in length you need to be a confident and experienced FSL embroiderer of oversized items.

General instructions for free-standing lace (FSL):

FSL patterns can be sewn with rayon or polyester thread, depending on your preference.

You need a water-soluble non-woven stabilizer (non-film water-soluble stabilizers) with a density of at least 60 grams. If you have a thinner stabilizer, I recommend using 2 layers of stabilizer. It is very important to secure the stabilizer VERY tightly, being careful not to deform it.

For double-sided embroidery, use the same thread for the needle (upper) and hook (lower) thread.

After finishing the embroidery, carefully trim the excess stabilizer around the embroidery.

Place in a bowl of warm water to rinse off any remaining stabilizer. Lay the design flat and dry. If necessary, iron to shape with a steam iron.

Then you will get quality work.